



TEGERA® 105

Leather glove, unlined, 1,0-1,1 mm full grain cowhide, cotton, Cat. II, blue, beige, reinforced index finger, reinforced fingers and thumb, elasticated 180°, for heavy work

PROPERTIES

Durable

SPECIFICATION

TYPE OF GLOVE Gloves for general use, minimal risks

CATEGORY Cat. II

SIZE RANGE (EU) 8, 9, 10, 11, 12

PALM MATERIAL Full grain cowhide

PALM THICKNESS 1,0-1,1 mm

BACK MATERIAL Cotton

LINING Unlined

DEXTERITY 4

CUFF STYLE Safety cuff

CUFF MATERIAL Textile

FASTENING Elasticated 180°

LENGTH RANGE 245-285 mm

COLOUR Blue, beige

PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Hook with hangtag

MATERIAL SPECIFICATION Leather, cotton, natural latex

SIZE	ART. NO.	EAN NO.
8	105-8	7392626024526
9	105-9	7392626024533
10	105-10	7392626024540
11	105-11	7392626024557
12	105-12	7392626024564

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.



TEGERA® 105

FEATURES

Reinforced index finger, reinforced fingers and thumb

PREVENTS RISK OF

Abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt

PRIMARY ENVIRONMENTS OF USE

Dirty environments, harsh environments

PRIMARY AREAS OF USE

Building and construction, carpentry, tiling, construction, soil preparation, transport work, metalwork, mining, wood industry work

PRIMARY INDUSTRIES OF USE

Transportation, building and construction

TYPE OF WORK

Heavy weight

CE Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
2142X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-03-18

2(3)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 105

EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	2	(4)
b) Cut resistance (Index)	1	(5)
c) Tear resistance (N)	4	(4)
d) Puncturing resistance (N)	2	(4)
e) Cut resistance, EN ISO 13997 (N)	X	(F)
f) Impact protection, EN 13594:2015		(P)

EN 388 - Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)



CE Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
2142X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-03-18

3(3)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com