



SIZE	ART. NO.	EAN NO.
7	783-7	7340118302331
8	783-8	7340118302355
9	783-9	7340118302379
10	783-10	7340118302294
11	783-11	7340118302317

## TEGERA® 783

Cut resistant glove, nitrile, fully dipped, double-dipped, Dyneema®, Lycra®, nylon, 13 gg, reinforced grip pattern, cut resistance level B, Cat. II, black, yellow, oil and grease resistant, waterproof palm, fibreglass-free, for assembly work

### PROPERTIES

Flexible, very durable, good grip, good fit, comfortable

### SPECIFICATION

TYPE OF GLOVE Cut resistant gloves

CATEGORY Cat. II

CUT RESISTANCE (EN ISO 13997) Cut resistance level B

CUT RESISTANCE (EN ISO 13997) NEWTON VALUE 6,7

SIZE RANGE (EU) 7, 8, 9, 10, 11

LINER MATERIAL Dyneema®, Lycra®, nylon, 13 gg

DIPPING Fully dipped, double-dipped

DIPPING MATERIAL Nitrile

DEXTERITY 5

GRIP PATTERN Reinforced grip pattern

CUFF STYLE Knitwrist cuff

LENGTH RANGE 230 - 270 mm

COLOUR Black, yellow

PAIRS PER PACKAGE/CARTON 12/120

PIECES PER BOX 0

DISPLAY Bag with euro slot

MATERIAL SPECIFICATION UHMWPE, nylon, elastane, nitrile

1(3)

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.



CE Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
4X43B



## TEGERA® 783

### FEATURES

Cut resistant according to 388:2016 level B, pre-curved fingers, oil and grease resistant, ergonomically shaped, steel-fibre free, fibreglass-free

### PREVENTS RISK OF

Cut injuries, abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt, contact with moisture, contact with oil and fat

### PRIMARY ENVIRONMENTS OF USE

Cut risk environments, slippery environments, oily and greasy environments, dirty environments, harsh environments

### PRIMARY AREAS OF USE

Assembly, building and construction, painting, installation work, electrical installation, HVAC installation, sheet-metal work, construction, concrete work, engineering, metalwork, mining, glass industry work, wood industry work, forest work, agricultural work, repair work, decontamination, sanitation

### PRIMARY INDUSTRIES OF USE

Agriculture, mining, oil, gas, petrochemical, glass, bricks, concrete, metal fabrication, machinery and equipment, MRO, automotive, utilities, building and construction, logistics

### TYPE OF WORK

Medium weight

2(3)

**ejendals**  
PROTECTING HANDS AND FEET

#### EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-06-24

# TEGERA® 783

## EU-TYPE EXAMINATION

0075 CTC, 4 rue Hermann Frenkel, 69367 Lyon Cedex 07  
France

## COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	4	(4)
b) Cut resistance (Index)	X	(5)
c) Tear resistance (N)	4	(4)
d) Puncturing resistance (N)	3	(4)
e) Cut resistance, EN ISO 13997 (N)	B	(F)
f) Impact protection, EN 13594:2015		(P)

## EN 388 - Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)



CE Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
4X43B



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-06-24

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com